Industrial Automation Products & Solutions

Altech Thermal Circuit Breaker - V-EA 2 Pole 277V Voltage Rating DIN Rail Mount, 25A Current Rating

ผู้ผลิต : Altech

รหัสสินค้า : 2E25UM

Overview

เบรกเกอร์แบบ Thermal-Magnetic 2 ขั้ว (V-EA ซีรีส์) ของ Altech กระแสพิกัด 25A สำหรับการติดตั้งแบบ DIN Rail มีคุณสมบัติ IP20 ที่ขั้วและใช้สำหรับการป้องกันโหลดที่มีสภาวะ inrush สูง

เป็นเบรกเกอร์ Thermal-Magnetic แบบ 2 pole กระแส 25A มีลักษณะการตัดแบบ Time Delay/inverse time เพื่อเร่งการตัดเมื่อมีกระแสเกินขนาดใหญ่ เหมาะกับงานที่มี inrush สูง รายละเอียดสำคัญได้แก่ Rated AC 480Y/277V, Rated DC 80V, Breaking Capacity 10 kA, การยึดติดแบบ DIN Rail และ Terminal ประเภท Ring Tongue

Features

- Current Rating: 25A
- Number of Poles: 2
- Tripping Mechanism: Thermal-Magnetic
- Tripping Characteristics: Type E
- Mounting Style: DIN Rail Mount
- Terminal Contact Type: Ring Tongue Terminal
- Breaking Capacity at Maximum Voltage Rating: 10 kA
- Rated AC Voltage: 480Y/277V
- Rated DC Voltage: 80V
- Overall Dimensions: 93.3 x 35 x 74.7mm
- Special Features: IP20 Terminal Protection
- Reset Actuator Type: Handle
- Break Time: Time Delay
- Series: V-EA

Applications

- AC Discharge Lamps (Ballast)
- AC General Use
- AC Incandescent Lamps (Tungsten)
- AC Motor Starting
- AC Resistance
- Across the Line
- High Efficiency Motors
- UL508 Application
- งานที่มี Inrush Current สูง (ตามสเปค)

Specifications

คุณลักษณะ	รายละเอียด
Current Rating	25A
Number of Poles	2
Voltage Rating	277V
Width	35mm
Series	V-EA
Application	AC Discharge Lamps (Ballast), AC General Use, AC Incandescent Lamps (Tungsten), AC Motor Starting, AC Resistance, Across the Line, High Efficiency Motors, UL508 Application, Which have Exceedingly High Inrush Current
Tripping Mechanism	Thermal-Magnetic
Reset Actuator Type	Handle
Tripping Characteristics	Type E
Rated AC Voltage	480Y/277V
Mounting Style	DIN Rail Mount
Terminal Contact Type	Ring Tongue Terminal
Overall Length	93.3mm
Overall Dimensions	93.3 x 35 x 74.7mm
Break Time	Time Delay
Breaking Capacity at Maximum Voltage Rating	10 kA
Rated DC Voltage	80V

Overall Depth	74.7mm
Special Features	IP20 Terminal Protection
Circuit Breaker Type	Thermal Magnetic Circuit Breaker

LINE OA
@thsolution

Need a quotation or technical support?
ติดต่อทีมงาน THSolution สำหรับข้อมูลสินค้า ราคา สต๊อกสินค้า

Tel. : 02-066-1996
LINE OA : @thsolution
Website : www.thsolution.com