



Industrial Automation Products & Solutions



i-Autoc KSI Series Solid State Relay, 40 A Load, Panel Mount, 280 V ac Load, 32 V dc Control

ผู้ผลิต : i-Autoc

รหัสสินค้า : KSI240D40-L

Overview

i-Autoc KSI ซีรีส์ รีเลย์สถานะแข็ง (Solid State Relay) แบบเฟสเดียว รุ่น KSI240D40-L สำหรับแรงดันโหลดสูงสุด 280 V ac และกระแสโหลดสูงสุด 40 A พร้อมฝาครอบป้องกันสัมผัส IP20 เหมาะสำหรับงานอุตสาหกรรมและระบบควบคุม

Features

- Maximum Load Current: 40 A
- Mounting Type: Panel Mount
- Maximum Load Voltage: 280 V ac
- Minimum Load Voltage: 48 V ac
- Control Voltage Range / Minimum Control Voltage / Maximum Control Voltage: 4 - 32 V dc (Minimum 4 V dc, Maximum 32 V dc)
- Switching Type: Zero Cross
- Terminal Type: Screw
- Output Device: SCR, Triac
- Relay Type: Industrial Single Phase Relay
- Load Voltage Range: 48 - 280V ac
- Maximum Turn On Time: 1ms
- Dimensions: 58.6 x 45.7 x 26.5mm (Length x Depth x Height)
- Operating Temperature Range: -30°C ถึง +80°C
- Standards Met: CE, TUV, UL
- Special Features: Internal MOV, Internal RC, LED Indication, Superior Thermal Performance, TVS Protection Circuit as Option
- Off State Leakage Current: 5 mA

Applications

- การควบคุมโหลดในงานอุตสาหกรรมและการใช้งานบนแผงควบคุม



- การใช้งานในสายการผลิตและการควบคุมเครื่องจักร

Specifications

คุณลักษณะ	รายละเอียด
Maximum Load Current	40 A
Mounting Type	Panel Mount
Maximum Load Voltage	280 V ac
Minimum Load Voltage	48 V ac
Minimum Control Voltage	4 V dc
Maximum Control Voltage	32 V dc
Switching Type	Zero Cross
Control Voltage Range	4 - 32 V dc
Terminal Type	Screw
Output Device	SCR, Triac
Relay Type	Industrial Single Phase Relay
Load Voltage Range	48 - 280V ac
Series	KSI
Maximum Turn On Time	1ms
Dimensions	58.6 x 45.7 x 26.5mm
Depth	45.7mm
Operating Temperature Range	-30 - +80°C
Length	58.6mm
Height	26.5mm
Standards Met	CE, TUV, UL
Maximum Operating Temperature	+80°C
Special Features	Internal MOV, Internal RC, LED Indication, Superior Thermal Performance, TVS Protection Circuit as Option
Minimum Operating Temperature	-30°C
Off State Leakage Current	5 mA



บริษัท ทีเอส โซลูชั่น จำกัด

27/66 ถนนรัชดา-รามอินทรา แขวงรามอินทรา เขตคันนายาว กรุงเทพมหานคร 10230

โทร : 02-066-1996 | Line OA : @thsolution | www.thsolution.com



LINE OA
@thsolution

Need a quotation or technical support?

ติดต่อทีมงาน THSolution สำหรับข้อมูลสินค้า ราคา สต็อกสินค้า

Tel. : 02-066-1996

LINE OA : @thsolution

Website : www.thsolution.com