



Industrial Automation Products & Solutions



Sensata Crydom CX Series Solid State Relay, 5 A Load, PCB Mount, 660 V rms Load, 15 V dc Control

ผู้ผลิต : Sensata / Crydom

รหัสสินค้า : CX480D5R

Overview

Sensata / Crydom รุ่น CX480D5R เป็น Solid State Relay (SSR) สำหรับติดตั้งบน PCB ให้กระแสโหลดสูงสุด 5 A และรองรับแรงดันโหลด 48 - 660 Vrms ความคุมด้วยสัญญาณ 4 - 15 V dc โดยใช้อุปกรณ์เอาต์พุตแบบ SCR ขนาดแพ็คเกจ SIP

ข้อมูลระบุว่าเป็นรีเลย์ไร้ชิ้นส่วนเคลื่อนไหว (solid-state) ที่ให้ความทนทานและต้องการการบำรุงรักษาน้อย มี switching แบบ instantaneous, รองรับการควบคุม AC หรือ DC และผ่านมาตรฐาน CE, CSA โดยมีขนาดกะทัดรัดสำหรับการติดตั้งบนบอร์ด

Features

- Maximum Load Current: 5 A
- Mounting Type: PCB Mount
- Load Voltage Range: 48 - 660 Vrms
- Control Voltage Range: 4 - 15 V dc
- Output Device: SCR
- Switching Type: Instantaneous
- Contact Configuration: SPST
- Terminal Type: Through Hole
- Package Style: SIP
- Maximum Turn On Time: 1/2 cycle
- Dimensions: 43.1 x 7.6 x 25.4mm
- Operating Temperature Range: -30 - +80°C
- Off State Leakage Current: 0.1 mA rms
- Special Features: AC or DC control
- Standards Met: CE, CSA
- Capacitance: 10pF

Applications



- การสวิตซึ่งวงจรกำลังบน PCB (ตามคำอธิบาย)

Specifications

คุณลักษณะ	รายละเอียด
Maximum Load Current	5 A
Mounting Type	PCB Mount
Maximum Load Voltage	660 V rms
Minimum Load Voltage	48 V rms
Minimum Control Voltage	4 V dc
Maximum Control Voltage	15 V dc
Switching Type	Instantaneous
Control Voltage Range	4 - 15 V dc
Minimum Load Current	5 A rms
Contact Configuration	SPST
Terminal Type	Through Hole
Output Device	SCR
Package Style	SIP
Relay Type	Solid State Relay
Series	CX
Maximum Turn On Time	1/2 cycle
Load Voltage Range	48 - 660Vrms
Dimensions	43.1 x 7.6 x 25.4mm
Operating Temperature Range	-30 - +80°C
Off State Leakage Current	0.1 mA rms
Height	25.4mm
Standards Met	CE, CSA
Maximum Operating Temperature	+80°C
Special Features	AC or DC control



บริษัท ทีเอส โซลูชัน จำกัด

27/66 ถนนรัชดา-รามอินทรา แขวงรามอินทรา เขตคันนายาว กรุงเทพมหานคร 10230

โทร : 02-066-1996 | Line OA : @thsolution | www.thsolution.com

Length	43.1mm
Depth	7.6mm
Minimum Operating Temperature	-30°C
Capacitance	10pF



LINE OA
@thsolution

Need a quotation or technical support?

ติดต่อทีมงาน THSolution สำหรับข้อมูลสินค้า ราคา สต็อกสินค้า

Tel. : 02-066-1996

LINE OA : @thsolution

Website : www.thsolution.com