



Industrial Automation Products & Solutions



Otto, 3 Position DPDT Rotary Switch, 20 A @ 28 V dc, Tab

ผู้ผลิต : Otto

รหัสสินค้า : R2AB4449DN11

Overview

Otto R2 3 Position DPDT Rotary Switch รุ่น R2AB4449DN11 (20 A @ 28 V dc, Tab terminals)

ตามคำอธิบาย Otto R2 ถูกนำไปใช้ในตลาด heavy equipment, marine, process control และ instrumentation ซึ่งสะท้อนการใช้งานในสภาวะแวดล้อมอุตสาหกรรม สวิตช์นี้มีการกำหนดทางไฟฟ้าและเชิงกลที่ระบุไว้ เช่น DPDT, 3 ตำแหน่ง และ Mechanical Life 100000 Cycles

Features

- Contact Configuration: DPDT
- Contact Current Rating: 20 A @ 28 V dc
- Number of Switch Positions: 3
- Number of Contacts: 2
- Voltage Rating: 110 V ac, 28V dc
- Terminal Type: Tab
- Mounting Type: Panel Mount
- Mounting Hole Size: 1.475 x 0.875 in
- Dimensions: 0.96 x 1.7 x 2.31in
- IP Rating: IP68S
- Mechanical Life: 100000 Cycles
- Maximum Operating Temperature: +85°C
- Minimum Operating Temperature: -40°C
- Contact Material: Gold Plated Silver Alloy
- Case Material: Thermoplastic
- Application: Heavy Equipment, Instrumentation, Marine, Process Control
- Depth/Width values provided: Depth 1.68mm, Width 0.93mm (ตามข้อมูล)

Applications



- Heavy Equipment
- Instrumentation
- Marine
- Process Control

Specifications

คุณลักษณะ	รายละเอียด
Contact Configuration	DPDT
Contact Current Rating	20 A @ 28 V dc
Number of Switch Positions	3
Number of Contacts	2
Voltage Rating	110 V ac, 28V dc
Depth	1.68mm
Width	0.93mm
Dimensions	0.96 x 1.7 x 2.31in
Mounting Type	Panel Mount
Mounting Hole Size	1.475 x 0.875 in
Terminal Type	Tab
Application	Heavy Equipment, Instrumentation, Marine, Process Control
IP Rating	IP68S
Mechanical Life	100000Cycles
Maximum Operating Temperature	+85°C
Contact Material	Gold Plated Silver Alloy
Minimum Operating Temperature	-40°C
Case Material	Thermoplastic



Need a quotation or technical support?

ติดต่อทีมงาน THSolution สำหรับข้อมูลสินค้า ราคา สต็อกสินค้า

Tel. : 02-066-1996

LINE OA : @thsolution



บริษัท ทีเอส โซลูชัน จำกัด

27/66 ถนนรัชดา-รามอินทรา แขวงรามอินทรา เขตคันนายาว กรุงเทพมหานคร 10230

โทร : 02-066-1996 | Line OA : @thsolution | www.thsolution.com

LINE OA
@thsolution

Website : www.thsolution.com