



Industrial Automation Products & Solutions



Lumberg Automation Straight Male 5 way M12 to Straight Female 5 way M12 Sensor Actuator Cable, 4m

ผู้ผลิต : Lumberg Automation

รหัสสินค้า : 44136 RST 5-RKT 5-228/4 M

Overview

สาย Sensor/Actuator จาก Lumberg Automation (Series RST) แบบ Straight M12 5 ทาง ถึง Straight M12 5 ทาง ยาว 4m (รุ่น 44136 RST 5-RKT 5-228/4 M)

ข้อมูลสเปกบรรยายละเอียดเชิงช่างหลายประการ เช่น จำนวน cores 5, พื้นที่ตัดขวาง 0.5 mm^2 , เป็นสายชนิด Unshielded, ระดับ IP สูง (IP65–IP69K) และช่วงอุณหภูมิการทำงาน -40 ถึง $+90 \text{ }^\circ\text{C}$ ซึ่งระบุไว้ในสเปค

Features

- แบรินด์: Lumberg Automation
- รุ่น: 44136 RST 5-RKT 5-228/4 M
- Series: RST
- Number of Cores: 5
- Cross Sectional Area: 0.5 mm^2
- Connector 1: M12, Male, 5 contacts, Straight
- Connector 2: M12, Female, 5 contacts, Straight
- Coding: A
- Shielding: Unshielded
- Voltage Rating: 60 V
- Current Rating: 4 A
- IP Rating: IP65, IP67, IP68, IP69K
- Sheath Material: Polyurethane (PUR)
- Length: 4m
- Operating Temperature Range: $-40 - +90 \text{ }^\circ\text{C}$
- Oil Resistant: Yes
- Outer Diameter: 5.4mm
- Minimum Bend Radius: $5 \times D$
- Conductor Material: Copper



- American Wire Gauge: 20 AWG

Applications

- การเชื่อมต่อเซ็นเซอร์และ actuator กับ PLC หรืออุปกรณ์ควบคุม (ตามคำอธิบาย)

Specifications

คุณลักษณะ	รายละเอียด
Series	RST
Cross Sectional Area	0.5 mm ²
Number of Cores	5
Sheath Colour	Black
Length	4m
Sheath Material	Polyurethane PUR
Connector 1	M12
Connector 1 Number of Contacts	5
Connector 1 Gender	Male
Connector 1 Orientation	Straight
Connector 2 Gender	Female
Connector 2 Orientation	Straight
Connector 2 Number of Contacts	5
Connector 2	M12
Coding	A
Shielding	Unshielded
Shielded/Unshielded	Unshielded
Voltage Rating	60 V
Current Rating	4 A
IP Rating	IP65, IP67, IP68, IP69K
Standards Met	RoHS Compliant, UL
Minimum Operating Temperature	-40°C



บริษัท ทีเอส โซลูชั่น จำกัด

27/66 ถนนรัชดา-รามอินทรา แขวงรามอินทรา เขตคันนายาว กรุงเทพมหานคร 10230

โทร : 02-066-1996 | Line OA : @thsolution | www.thsolution.com

Conductor Resistance	10 mO
American Wire Gauge	20 AWG
Outer Diameter	5.4mm
Operating Temperature Range	-40 - +90 °C
Maximum Operating Temperature	+90°C
Oil Resistant	Yes
Minimum Bend Radius	5 x D
Conductor Material	Copper



LINE OA
@thsolution

Need a quotation or technical support?

ติดต่อทีมงาน THSolution สำหรับข้อมูลสินค้า ราคา สต็อกสินค้า

Tel. : 02-066-1996

LINE OA : @thsolution

Website : www.thsolution.com