




Industrial Automation Products & Solutions



Omron Plug In Power Relay, 24V ac Coil, 10A Switching Current, SPDT

ผู้ผลิต : Omron

รหัสสินค้า : G2R-1-SN AC24(S)

Overview

Omron Plug In Power Relay รุ่น G2R-1-SN AC24(S) รีเลย์ปลั๊กอิน ขดลวด 24V ac, การกำหนดหัว SPDT, กระแสสวิตช์สูงสุด 10A

รีเลย์จาก Omron ซีรีส์ G2R-1 เป็นรีเลย์อิเล็กทรอนิกส์ขนาดเล็กโทรเมคานิกขนาดกะทัดรัดสำหรับงานทั่วไป ข้อมูลประสิทธิภาพการทำงานทางไฟฟ้าและกลไก (Life cycles) และค่าการแยกวงจร (Isolation Coil To Contact) ตามที่ให้ได้

Features

- Coil Voltage: 24V ac
- Contact Configuration: SPDT
- Mounting Type: Plug In
- Switching Current: 10A
- Number of Poles: 1
- Terminal Type: Quick Connect
- Maximum Switching Voltage AC: 440V ac
- Maximum Switching Voltage DC: 125V dc
- Coil Resistance: 260 Ω
- Coil Power: 900mW
- Isolation Coil To Contact: 5kV ac
- Life: 1000000 (Electrical) cycles, 10000000 (Mechanical) cycles
- Contact Material: Silver Alloy
- Maximum Switching Power AC: 2.5 kVA
- Maximum Switching Power DC: 300 W
- Standards Met: CE, CSA



- Dimensions: 29 x 13 x 29mm
- Operating Temperature Range: -40°C ถึง +70°C

Applications

- งานทั่วไป (general purpose applications ตามคำอธิบายในข้อมูลสินค้า)
- งานด้านพลังงาน (ระบุ Application: Power)

Specifications

คุณลักษณะ	รายละเอียด
Coil Voltage	24V ac
Contact Configuration	SPDT
Mounting Type	Plug In
Switching Current	10A
Number of Poles	1
Latching	No
Terminal Type	Quick Connect
Maximum Switching Voltage AC	440V ac
Maximum Switching Voltage DC	125V dc
Maximum Switching Current AC	10 A
Maximum Switching Current DC	10 A
Length	29mm
Coil Resistance	260 Ω
Coil Power	900mW
Standards Met	CE, CSA
Height	29mm
Depth	13mm
Series	G2R-1
Maximum Operating Temperature	+70°C
Isolation Coil To Contact	5kV ac



บริษัท ทีเอส โซลูชั่น จำกัด

27/66 ถนนรัชดา-รามอินทรา แขวงรามอินทรา เขตคันนายาว กรุงเทพมหานคร 10230

โทร : 02-066-1996 | Line OA : @thsolution | www.thsolution.com

Life	1000000 (Electrical) cycles, 10000000 (Mechanical) cycles
Contact Material	Silver Alloy
Minimum Operating Temperature	-40°C
Maximum Switching Power AC	2.5 kVA
Maximum Switching Power DC	300 W
Dimensions	29 x 13 x 29mm
Application	Power



LINE OA
@thsolution

Need a quotation or technical support?

ติดต่อทีมงาน THSolution สำหรับข้อมูลสินค้า ราคา สต็อกสินค้า

Tel. : 02-066-1996

LINE OA : @thsolution

Website : www.thsolution.com