



Industrial Automation Products & Solutions



SMC G 3/8 FRL, Manual Drain, 5µm Filtration Size - Without Pressure Gauge

ผู้ผลิต : SMC

รหัสสินค้า : AC30A-F03-B

Overview

SMC AC30A-F03-B ชุด FRL (filter regulator lubricator) รุ่น AC-B ขนาดกรอง 5 µm, พอร์ต G 3/8, การระบายน้ำแบบแมนนวล และไม่มีเกจวัดความดันในตัว พร้อมสามไส้สองชั้น (double layer, transparent bowl).

รุ่น AC-B นี้ออกแบบปรับปรุงด้วยสามไส้แบบสองชั้นเพื่อความทนทานและการมองเห็นระดับของของเหลวภายในได้ชัดเจนขึ้น สเปคระบุช่วงการตั้งแรงดันและอุณหภูมิไว้ชัดเจน รวมทั้ง proof pressure และวัสดุสามไส้จึงเหมาะกับการใช้งานที่ต้องการการตรวจสอบสภาพสามไส้สม่ำเสมอ

Features

- Filtration Size: 5 µm
- Port Connection: G 3/8
- Integrated Pressure Gauge: Without Pressure Gauge (ไม่มีเกจในตัว)
- Drain Type: Manual
- Bowl Material: Polycarbonate
- Double layer transparent bowl (สามไส้สองชั้น)
- Pressure Setting Range: 0.05 - 0.85 MPa
- Minimum Pressure Setting: 0.05 MPa
- Maximum Pressure Setting: 0.85 MPa
- Maximum Operating Pressure: 1 MPa
- Proof Pressure: 1.5 MPa
- Process/Ambient Operating Temperature Range: -5 - +60°C
- Pressure Gauge Port Size/Thread: G 3/8 (3/8 in) as specified

Applications

- ระบบนิวเมติกที่ต้องการ FRL พร้อมสามไส้ปรับไสเพื่อการตรวจสอบระดับ
- การใช้งานที่พิกัดแรงดันภายในช่วง 0.05 - 0.85 MPa และไม่เกิน 1 MPa ตามสเปค



Specifications

คุณลักษณะ	รายละเอียด
Port Connection	G 3/8
Integrated Pressure Gauge	Without Pressure Gauge
Drain Type	Manual
Manufacturer Series	AC
Filtration Size	5 μ m
Pressure Gauge Port Size	G 3/8
Minimum Ambient Operating Temperature	-5°C
Port Connection Thread Size	3/8in
Port Connection Thread Standard	G
Maximum Operating Pressure	1 MPa
Maximum Ambient Operating Temperature	60°C
Proof Pressure	1.5MPa
Minimum Process Operating Temperature	-5°C
Process Operating Temperature Range	-5 - +60°C
Ambient Operating Temperature Range	-5 - +60°C
Maximum Pressure Setting	0.85MPa
Minimum Pressure Setting	0.05MPa
Bowl Material	Polycarbonate
Maximum Process Operating Temperature	60°C
Pressure Gauge Port Thread Size	3/8in
Pressure Setting Range	0.05 - 0.85MPa
Pressure Gauge Port Thread	G



บริษัท ทีเอส โซลูชั่น จำกัด

27/66 ถนนรัชดา-รามอินทรา แขวงรามอินทรา เขตคันนายาว กรุงเทพมหานคร 10230

โทร : 02-066-1996 | Line OA : @thsolution | www.thsolution.com

Standard



LINE OA
@thsolution

Need a quotation or technical support?

ติดต่อทีมงาน THSolution สำหรับข้อมูลสินค้า ราคา สต็อกสินค้า

Tel. : 02-066-1996

LINE OA : @thsolution

Website : www.thsolution.com