



Industrial Automation Products & Solutions



Schmersal SLC440COM Series 440COM Light Curtain Receiver, 48 Beam(s), 14mm Resolution

ผู้ผลิต : Schmersal

รหัสสินค้า : SLC440COM-R-0490-14

Overview

Schmersal SLC440COM (SLC440COM-R-0490-14) เป็น receiver ของ light curtain ที่ใช้งานร่วมกับ sender module (หมายเลข 146-5823) เพื่อสร้างกำแพงแสงนิรภัย โดยมีความละเอียด 14 mm และ 48 beams

Features

- Range/Series: 440COM / SLC440COM
- Component Type: Receiver
- Beam Resolution: 14 mm
- Number of Beams: 48
- SIL IEC 61508: 3
- PL EN ISO 13849-1: e
- Protective Height: 490 mm
- Minimum Scanning Distance: 300 mm
- Maximum Scanning Distance: 7000 mm
- Maximum Response Time: 10 ms
- Supply Voltage: 24 V dc
- Terminal Type: 5-Pin M12 Connector
- Dimensions: 33 x 27.8 x 531 mm
- Features (ตามสเปค): Safety Type 4, User-Friendly Parameter Setting, No Tools Required, EMC/Welding Sparks Interference Handling, Integrated Set-Up Tool

Applications

- Elevators & Escalators
- Food industry
- Heavy Industry
- Machine Tools



- Packaging

Specifications

คุณลักษณะ	รายละเอียด
Range	440COM
Series	SLC440COM
Beam Resolution	14mm
Component Type	Receiver
SIL IEC 61508	3
PL EN ISO 13849-1	e
Number of Beams	48
Protective Height	490mm
Minimum Scanning Distance	300mm
Maximum Scanning Distance	7000mm
Maximum Response Time	10 ms
Length	33mm
Height	531mm
Supply Voltage	24 V dc
Width	27.8mm
Features	Safety Type 4 in Accordance with IEC 61496-1, User-Friendly Parameter Setting, No Tools Required, Reliable Safety Concept in Case of Interferences (EMC, Welding Sparks), Process Safety with Highest Availability, Integrated Set-Up Tool
Terminal Type	5-Pin M12 Connector
Application	Elevators & Escalators, Food, Heavy Industry, Machine Tools, Packaging
Dimensions	33 x 27.8 x 531 mm

Need a quotation or technical support?

ติดต่อทีมงาน THSolution สำหรับข้อมูลสินค้า ราคา สต็อกสินค้า



บริษัท ทีเอส โซลูชั่น จำกัด

27/66 ถนนรัชดา-รามอินทรา แขวงรามอินทรา เขตคันนายาว กรุงเทพมหานคร 10230

โทร : 02-066-1996 | Line OA : @thsolution | www.thsolution.com



LINE OA
@thsolution

Tel. : 02-066-1996

LINE OA : @thsolution

Website : www.thsolution.com